

INFORMATION ON TREATMENT FOR PELVIC FLOOR DYSFUNCTION AND BLADDER / BOWEL PROBLEMS

IMPORTANT - READ IMMEDIATELY

| rour first appointment will take 45 to 60 minutes so plan your time appropriately. Please arrive at least 15 minut early to complete necessary paperwork. | | | | | | | | |
|--|----------------|--|--|--|--|--|--|--|
| Your appointment is scheduled for | _a.m. /p.m. on | | | | | | | |
| Enclosed please find: | | | | | | | | |

1. HISTORY AND SCREENING QUESTIONNAIRES

All forms must be completed prior to your first appointment.

- Incomplete information may delay insurance processing and authorization for subsequent treatment.
- Prior to your first appointment we recommend you check with your insurance company regarding coverage for

The office evaluation/treatment of your condition may include:

- Review of your history
- Measurement of your pelvic floor muscle function with biofeedback equipment. These instruments record your muscleactivity and help evaluate and treat your pelvic floor muscles.
- Musculoskeletal and pelvic floor muscle exam.
- Exercise instruction for pelvic floor and other muscle groups as indicated.

Return visits for therapy will be scheduled at regular intervals to measure your progress and modify your exercise program as needed. These appointments are important in order to progress your treatment program.

Please feel free to invite someone to accompany you to your appointments if doing so will make you feel more comfortable.

If you have any questions, please call 916-355-8500.



INFORMED CONSENT FOR TREATMENT

The term "informed consent" means that the potential risks, benefits, and alternatives of therapy evaluation and treatment have been explained to you. The therapist provides a wide range of services and I understand that I will receive information at the initial visit concerning the evaluation, treatment and options available for my condition.

I also acknowledge and understand that I have been referred for evaluation and treatment of pelvic floor dysfunction. Pelvic floor dysfunctions include, but are not limited to, urinary or fecal incontinence, difficulty with bowel, bladder or sexual functions, painful scars after surgery, persistent sacroiliac or low back pain, or pelvic pain conditions.

I understand that to evaluate my condition it may be necessary, initially and periodically, to have my therapist perform an internal pelvic floor muscle examination. This examination is performed by observing and/or palpating the perineal region including the vagina and/or rectum. This evaluation will assess skin condition, reflexes, muscle tone, length, strength and endurance, scar mobility and function of the pelvic floor region. Such evaluation may include vaginal or rectal sensors for muscle biofeedback.

Treatment may include, but not be limited to the following: observation, palpation, vaginal or rectal sensors for biofeedback and/or electrical stimulation, ultrasound, heat, cold, stretching and strengthening exercises, soft tissue and/orjoint mobilization and educational instruction.

Potential risks: I may experience an increase in my current level of pain or discomfort, or an aggravation of my existing injury. This discomfort is usually temporary; if it does not subside in 1-3 days, I agree to contact my therapist.

Potential benefits: may include an improvement in my symptoms and an increase in my ability to perform my daily activities. I may experience increased strength, awareness, flexibility and endurance in my movements. I may experience decreased pain and discomfort. I should gain a greater knowledge about managing my condition and the resources available to me.

Alternatives: If I do not wish to participate in the therapy program, I will discuss my medical, surgical or pharmacological alternatives with my physician or primary care provider.

Release of medical records: I authorize the release of my medical records to my physicians/primary care provider and/or insurance company.

Cooperation with treatment: I understand that in order for therapy to be effective, I must come as scheduled unless there are unusual circumstances that prevent me from attending therapy. I agree to cooperate with and carry out thehome program assigned to me. If I have difficulty with any part of my treatment program, I will discuss it with my therapist.

No warranty: I understand that the physical therapist cannot make any promises or guarantees regarding a curefor or improvement in my condition. I understand that my therapist will share with me her opinions regarding potential results of physical therapy treatment for my condition and will discuss all treatment options with me before I consent totreatment.

I have informed my therapist of any condition that would limit my ability to have and evaluation or to be treated. I hereby request and consent to the evaluation and treatment to be provided by the therapist of Folsom Physical Therapy.

| Patient/Guardian Name (Please Print) | Date | | | | |
|--------------------------------------|------|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |
| Patient/Guardian Signature | | | | | |
| | | | | | |



PLAN OF CARE AGREEMENT

My diagnosis, evaluation findings including the treatment program, the expected benefits or goals of treatment, and reasonable alternatives to the recommended treatment program, has all been explained to me. My questions about my are have been answered to my understanding and satisfaction.

I consent to the recommended course of treatment.

For optimum care and progress:

- It is important to keep your regularly scheduled therapy appointment. At those visits we can advance your exercise routine.
- Please avoid practicing your pelvic floor exercises just before your next appointment time.
- Bring your exercise sheets, voiding log and biofeedback internal sensors as appropriate to each office visit.

| Patient Name (Please Print) | Date: | |
|-------------------------------|-------|--|
| (Patient/Guardian) Signature: | | |
| Therapist Signature: | | |



PELVIC FLOOR PATIENT HISTORY

| 1. | Describe the current problem that brought you here? | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|
| 2. | When did your problem first begin? Months ago or years ago. | | | | | | | | | |
| 3. | Was your first episode of the problem related to a specific incident? Yes/No (Describe) | | | | | | | | | |
| 4. | Since that time is it: staying the same getting worse getting better?Why or how? | | | | | | | | | |
| 5. | If pain is present rate pain on a 0-10 scale 10 being the worst. Describe the nature of the pain (i.e. constant burning, intermittentache) | | | | | | | | | |
| 6. | Describe previous treatment/exercises | | | | | | | | | |
| 7. | Activities/events that cause or aggravate your symptoms. <u>Check/circle all that apply</u> | | | | | | | | | |
| | Sitting greater than minutes | With cough/sneeze/straining | | | | | | | | |
| | Walking greater than minutes | With laughing/yelling | | | | | | | | |
| | Standing greater than minutes | With lifting/bending | | | | | | | | |
| | Changing positions (i.e sit to stand) | With cold weather | | | | | | | | |
| | Light activity (light housework) | With triggers -running water/key in door | | | | | | | | |
| | Vigorous activity/exercise (run/weight lift/jump) | With nervousness/anxiety | | | | | | | | |
| | Sexual activity | No activity affects the problem | | | | | | | | |
| | Other, | | | | | | | | | |
| 8. | | | | | | | | | | |
| 9. How has your lifestyle/quality of life been altered/changed because of this problem? | | | | | | | | | | |
| | Social activities (exclude physical activities), specify | | | | | | | | | |
| | Diet /Fluid intake, specifyPhysical activity, specify | | | | | | | | | |
| | Work, specifyother | | | | | | | | | |
| 10. | Rate the severity of this problem from 0 -10 with 0 being no p | oblem and 10 being the worst | | | | | | | | |
| 11. | What are your treatment goals/concerns? | | | | | | | | | |
| Sinc | e the onset of your current symptoms have you had? Check a | II that apply. | | | | | | | | |
| Y/N | I Fever/Chills Y/N Malaise (Unexplained tiredness Muscle weakness Y/N Dizziness or fainting Y/N Numbress / | Y/N Night pain/sweats | | | | | | | | |



Pg 2 History

| <u>Health History</u> : Date of Last Physical Exam | Tests performed | | | | |
|--|---------------------------|---------------------------------------|--|--|--|
| General Health: Excellent Good | Average Fair | Poor Occupation: | | | |
| | | Activity Restrictions? | | | |
| Mental Health: Current level of stress: High | | | | | |
| Activity/Exercise: None1-2 days/week | | | | | |
| Describe: | - ·· <u>-</u> · | · | | | |
| Have you ever had any of the following co | nditions or diagnoses? Ci | ircle all that apply /describe | | | |
| Cancer | Stroke | Emphysema/chronic bronchitis | | | |
| Heart problems | Epilepsy/seizures | Asthma | | | |
| High Blood Pressure | Multiple sclerosis | Allergies-list below | | | |
| Ankle swelling | Head Injury | Latex sensitivity | | | |
| Anemia | Osteoporosis | Hypothyroid/ Hyperthyroid | | | |
| Low back pain | Chronic Fatigue Syndror | me Headaches | | | |
| Sacroiliac/Tailbone pain | Fibromyalgia | Diabetes | | | |
| Alcoholism/Drug problem | Arthritic conditions | Kidney disease | | | |
| Childhood bladder problems | Stress fracture | Irritable Bowel Syndrome | | | |
| Depression Rheumatoid Arthritis | Hepatitis | HIV/AIDS | | | |
| Anorexia/bulimia | Joint Replacement | Sexually transmitted disease | | | |
| Smoking history | Bone Fracture | Physical or Sexual abuse | | | |
| Vision/eye problems | Sports Injuries | Raynaud's (cold hands and feet) | | | |
| Hearing loss/problems | TMJ/ neck pain | Pelvic pain | | | |
| Other/Describe | | | | | |
| Surgical /Procedure History | | | | | |
| Y/N Surgery for your back/spine | Y/N Sı | urgery for your bladder/prostate | | | |
| Y/N Surgery for your brain | | //N Surgery for your bones/joints | | | |
| Y/N Surgery for your male/female organs | | Y/N Surgery for your abdominal organs | | | |
| Other/describe | | anger y ter year accessment engane | | | |
| | | | | | |
| Ob/Gyn History (females only) | V/2-1-1 | a stood down and | | | |
| Y/N Childbirth vaginal deliveries # | | aginal dryness | | | |
| Y/N Episiotomy # | | ıl periods Y/N | | | |
| Y/N C-Section # | | pause - when? | | | |
| Y/N Difficult childbirth # | | ainful vaginal penetration | | | |
| Y/N Prolapse or organ falling out | | elvic pain | | | |
| Y/N Other /describe | | | | | |
| Males only | | | | | |
| Y/N Prostate disorders | Y/N Er | rectile dysfunction | | | |
| Y/N Shy bladder | | ainful ejaculation | | | |
| Y/N Pelvic pain | · | | | | |
| Y/N Other /describe | | | | | |



| Pg 3 History | | | | |
|---|-----------------------------|------------------------------------|--|--|
| Medications - pills, injection, patch | Start date | Reason for taking | | |
| | | | | |
| Over the counter -Vitamins etc. | Start date | Reason for taking | | |
| Symptoms | | | | |
| Bladder / Bowel Habits / Problems | | | | |
| Y/N Trouble initiating urine stream | Y/N Blood ir | n urine | | |
| Y/N Urinary intermittent /slow stream | Y/N Painful | urination | | |
| Y/N Trouble emptying bladder | Y/N Trouble | feeling bladder urge/fullness | | |
| Y/N Difficulty stopping the urine stream | Y/N Current | laxative use | | |
| Y/N Trouble emptying bladder completely | Y/N Trouble | feeling bowel/urge/fullness | | |
| Y/N Straining or pushing to empty bladder | Y/N Constip | ation/straining | | |
| Y/N Dribbling after urination | Y/N Trouble | holding back gas/feces | | |
| Y/N Constant urine leakage | Y/N Recurre | nt bladder infections | | |
| Y/N Other/describe | | | | |
| Frequency of urination: awake hour'stimes per | day sloop hours time | os nor night | | |
| When you have a normal urge to urinate, how long ca | | | | |
| minutes,hours,not at all | ii you delay before you hav | e to go to the tollet: | | |
| 3. The usual amount of urine passed is:smallme | dium large | | | |
| 4. Frequency of bowel movementstimes per day, | | | | |
| 5. When you have an urge to have a bowel movement, h | | | | |
| minuteshoursnot at all. | on long can you acidy bere | sie fouritive to go to the tollet: | | |
| 6. If constipation is present describe management techn | iques: | | | |
| 7. Average fluid intake (one glass is 8 oz or one cup) | • | | | |
| day.Of this total how many glasses are caffeinated? | | | | |



Pg 4 History

| $8.\ \mbox{Rate}$ a feeling of organ "falling out" / prolapse or pe | elvic heaviness/pressure: |
|---|---|
| None present | |
| Times per month (specify if related to activity or y | our period) |
| With standing for minutes or hours. | |
| With exertion or straining | |
| Other | |
| | |
| Skip questions if no leakage/incontinence | |
| 9a. Bladder leakage - number of episodes | 9b. Bowel leakage - number of episodes |
| No leakage | No leakage |
| Times per day | Times per day |
| Times per week | Times per week |
| Times per monthOnly with physical exertion/cough | Times per month Only with exertion/strong urge |
| 10a. On average, how much urine do you leak? | 10b. How much stool do you lose? |
| No leakage | No leakage |
| Just a few drops | Stool staining |
| Wets underwear | Small amount in underwear |
| Wets outerwear | Complete emptying |
| Wets the floor | |
| 11. What form of protection do you wear? (Please co | omplete only one) |
| None | |
| Minimal protection (Tissue paper/paper towel/pa | ant shields) |
| Moderate protection (absorbent product, maxi pa | ad) |
| Maximum protection (Specialty product/diaper) | |
| Other | |
| On average, how many pad/protection changes are re | equired in 24 hours?# of pads |



BLADDER HEALTH QUIZ

Please respond yes or no.

| 1. | 1. Do you urinate more than every two hours in the daytime? | | | | | | | | | | | |
|--|--|----------|------------|-----------|------------|---------|----------|-----|---|---|----|--|
| 2. | 2. Do you urinate more than once after going to bed? | | | | | | | | | | | |
| 3. | 3. Do you have trouble making it to the toilet on time when you have an urge to go? | | | | | | | | | | | |
| 4. | 4. Do you strain to pass urine? | | | | | | | | | | | |
| 5. | 5. Do you rush to go to the toilet to empty your bladder? | | | | | | | | | | | |
| 6. | Are you | unable t | to stop th | ne flow c | of urine v | when on | the toil | et? | | | | |
| 7. Do you have an urge to go but when you get to the toilet very little urine comes out? | | | | | | | | | | | | |
| 8. Do you lack the feeling that you need to go to the toilet? | | | | | | | | | | | | |
| 9. | 9. Do you empty your bladder frequently, before you experience the urge to pass urine? | | | | | | | | | | | |
| 10. Do you have the feeling your bladder is still full after urinating? | | | | | | | | | | | | |
| 11. Do you experience slow or hesitant urinary stream? | | | | | | | | | | | | |
| 12. Do you have difficulty initiating the urine stream? | | | | | | | | | | | | |
| 13. Do you have "triggers" that make you feel like you can't wait to go to the toilet? (running water, key in the door) | | | | | | | | | | | | |
| 14. Rate the following statement as it applies to you today. My bladder is controlling my life. 0= not at all true 10 = completely true | | | | | | | | | | | | |
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |

If you answer yes to any of these questions you could benefit from conservative treatment for your bladder. Talk to your health care provider for a referral.